

WIRE DIAMETER	OPENING SIZE	OPEN AREA	LBS./100 SF	WIRE DIAMETER	OPENING SIZE	OPEN AREA	LBS./100 SF	WIRE DIAMETER	OPENING SIZE	OPEN AREA	LBS./100 SF
<b>1 x 1 (1" x 1") MESH</b>											
0.250"	0.7500"	56%	412.40	0.250"	0.2500"	25%	894.60	0.072"	0.3280"	67%	84.30
0.225"	0.7750"	60%	332.10	0.225"	0.2750"	30%	710.60	0.063"	0.3370"	71%	64.30
0.207"	0.7930"	63%	280.10	0.207"	0.2930"	34%	593.80	0.054"	0.3460"	75%	47.10
0.192"	0.8080"	65%	240.30	0.192"	0.3080"	38%	505.50	0.047"	0.3530"	78%	35.60
0.177"	0.8230"	68%	203.70	0.177"	0.3230"	42%	425.40	0.041"	0.3590"	81%	27.00
0.162"	0.8380"	70%	170.20	0.162"	0.3380"	46%	353.30	0.035"	0.3650"	83%	19.70
0.148"	0.8520"	73%	141.70	0.148"	0.3520"	50%	292.40	<b>2-1/2 x 2-1/2 MESH (CONTINUED)</b>			
0.135"	0.8650"	75%	117.70	0.135"	0.3650"	53%	241.70	0.177"	0.1866"	26%	613.40
0.120"	0.8800"	77%	92.80	0.120"	0.3800"	58%	189.60	0.162"	0.2016"	31%	505.80
0.105"	0.8950"	80%	71.00	0.105"	0.3950"	62%	144.20	0.148"	0.2156"	35%	416.30
0.092"	0.9080"	82%	54.40	0.092"	0.4080"	67%	110.20	0.135"	0.2286"	40%	342.20
0.080"	0.9200"	85%	41.10	0.080"	0.4200"	71%	83.00	0.120"	0.2436"	45%	267.00
0.072"	0.9280"	86%	33.30	0.072"	0.4280"	73%	67.10	0.105"	0.2586"	51%	202.00
0.063"	0.9370"	88%	25.50	0.063"	0.4370"	76%	51.20	0.092"	0.2716"	56%	153.70
<b>3/4" x 3/4" MESH</b>				0.054"	0.4460"	80%	37.60	0.080"	0.2836"	61%	115.30
0.250"	0.5000"	44%	562.30	0.047"	0.4530"	81%	28.40	0.072"	0.2916"	64%	93.00
0.225"	0.5250"	49%	451.00	0.041"	0.4590"	84%	21.60	0.063"	0.3006"	68%	70.90
0.207"	0.5430"	52%	379.40	0.035"	0.4650"	87%	15.70	0.054"	0.3096"	73%	51.90
0.192"	0.5580"	55%	324.80	<b>2-1/4 x 2-1/4 MESH</b>				0.047"	0.3166"	76%	39.20
0.177"	0.5730"	58%	274.70	0.225"	0.2194"	24%	817.90	0.041"	0.3226"	79%	29.80
0.162"	0.5880"	61%	229.20	0.207"	0.2374"	28%	680.90	0.035"	0.3286"	82%	21.70
0.148"	0.6020"	64%	190.50	0.192"	0.2524"	32%	578.40	<b>3 x 3 MESH</b>			
0.135"	0.6150"	67%	158.10	0.177"	0.2674"	36%	485.70	0.162"	0.1713"	26%	560.40
0.120"	0.6300"	71%	124.40	0.162"	0.2824"	40%	402.30	0.148"	0.1853"	31%	460.20
0.105"	0.6450"	74%	95.00	0.148"	0.2964"	44%	332.50	0.135"	0.1983"	35%	377.60
0.092"	0.6580"	77%	72.80	0.135"	0.3094"	48%	274.30	0.120"	0.2133"	41%	293.90
0.080"	0.6700"	80%	54.90	0.120"	0.3244"	53%	214.80	0.105"	0.2283"	47%	222.00
0.072"	0.6780"	82%	44.50	0.105"	0.3394"	58%	163.20	0.092"	0.2413"	52%	168.70
0.063"	0.6870"	84%	34.00	0.092"	0.3524"	63%	124.50	0.080"	0.2533"	58%	126.40
0.054"	0.6960"	86%	24.90	0.080"	0.3644"	67%	93.70	0.072"	0.2613"	61%	101.90
<b>5/8" x 5/8" MESH</b>				0.072"	0.3724"	70%	75.70	0.063"	0.2703"	66%	77.60
0.250"	0.3750"	36%	689.40	0.063"	0.3814"	74%	57.80	0.054"	0.2793"	70%	56.70
0.225"	0.4000"	41%	551.00	0.054"	0.3904"	77%	42.30	0.047"	0.2863"	74%	42.80
0.207"	0.4180"	45%	462.40	0.047"	0.3974"	80%	32.00	0.041"	0.2923"	77%	32.50
0.192"	0.4330"	48%	395.00	0.041"	0.0434"	82%	24.30	0.035"	0.2983"	80%	23.70
0.177"	0.4480"	51%	333.50	<b>2-1/2 x 2-1/2 MESH</b>				0.032"	0.3013"	82%	19.70
0.162"	0.4630"	55%	277.70	0.225"	0.1750"	19%	929.30	<b>3-1/4 x 3-1/4 MESH</b>			
0.148"	0.4770"	58%	230.50	0.207"	0.1930"	23%	772.20	0.148"	0.1597"	27%	505.60
0.135"	0.4900"	62%	191.00	0.192"	0.2080"	27%	654.40	0.135"	0.1727"	32%	414.00
0.120"	0.5050"	65%	150.20	0.177"	0.2230"	31%	548.20	0.120"	0.1877"	37%	321.60
0.105"	0.5200"	69%	114.50	0.162"	0.2380"	35%	453.40	0.105"	0.2027"	43%	242.40
0.092"	0.5330"	73%	87.90	0.148"	0.2520"	40%	373.70	0.092"	0.2157"	49%	183.80
0.080"	0.5450"	76%	66.10	0.135"	0.2650"	44%	307.80	0.080"	0.2277"	55%	137.60
0.072"	0.5530"	78%	53.50	0.120"	0.2800"	49%	240.60	0.072"	0.2357"	59%	110.80
0.063"	0.5620"	81%	40.90	0.105"	0.2950"	54%	182.40	0.063"	0.2447"	63%	84.30
0.054"	0.5710"	84%	30.00	0.092"	0.3080"	59%	139.00	0.054"	0.2537"	68%	61.60
0.047"	0.5780"	86%	22.70	0.080"	0.3200"	64%	104.40	0.047"	0.2607"	72%	46.50

WIRE DIAMETER	OPENING SIZE	OPEN AREA	LBS./100 SF	WIRE DIAMETER	OPENING SIZE	OPEN AREA	LBS./100 SF	WIRE DIAMETER	OPENING SIZE	OPEN AREA	LBS./100 SF
3-1/4 x 3-1/4 MESH (CONTINUED)											
0.041"	0.2667"	75%	35.30	0.120"	0.1022"	21%	447.90	0.054"	0.1127"	46%	117.70
0.035"	0.2727"	79%	25.60	0.105"	0.1172"	28%	333.70	0.047"	0.1197"	52%	88.20
0.032"	0.2757"	80%	21.40	0.092"	0.1302"	34%	263.90	0.041"	0.1257"	57%	66.50
3-1/2 x 3-1/2 MESH											
0.148"	0.1377"	23%	525.00	0.072"	0.1502"	46%	157.00	0.032"	0.1347"	66%	40.00
0.135"	0.1507"	28%	429.00	0.063"	0.1592"	51%	118.90	0.028"	0.1387"	70%	30.50
0.120"	0.1657"	34%	349.90	0.054"	0.1682"	57%	86.40	0.025"	0.1417"	73%	24.30
0.105"	0.1807"	40%	263.20	0.047"	0.1752"	62%	65.00	0.023"	0.1437"	75%	20.50
0.092"	0.1937"	46%	199.30	0.041"	0.1812"	66%	49.20	0.020"	0.1467"	78%	15.50
0.080"	0.2057"	52%	148.90	0.035"	0.1872"	71%	35.70	6-1/2 x 6-1/2 MESH			
0.072"	0.2137"	56%	119.80	0.032"	0.1902"	73%	29.80	0.092"	0.0619"	16%	389.90
0.063"	0.2227"	61%	91.10	0.028"	0.1942"	76%	22.80	0.080"	0.0739"	23%	285.10
0.054"	0.2317"	66%	66.50	0.025"	0.1972"	79%	18.10	0.072"	0.0819"	28%	226.30
0.047"	0.2387"	70%	50.20	5 x 5 MESH			0.063"	0.0909"	35%	169.60	
0.041"	0.2447"	74%	38.10	0.120"	0.0800"	16%	510.60	0.054"	0.0999"	42%	128.60
0.035"	0.2507"	77%	27.60	0.105"	0.0950"	23%	378.70	0.047"	0.1069"	48%	96.10
0.032"	0.2537"	79%	23.10	0.092"	0.1080"	29%	283.40	0.041"	0.1129"	54%	72.40
3-3/4 x 3-3/4 MESH											
0.148"	0.1187"	20%	571.30	0.072"	0.1280"	41%	176.40	0.032"	0.1219"	63%	43.50
0.135"	0.1317"	24%	465.90	0.063"	0.1370"	47%	133.20	0.028"	0.1259"	67%	33.20
0.120"	0.1467"	30%	360.10	0.054"	0.1460"	53%	96.70	0.025"	0.1289"	70%	26.30
0.105"	0.1617"	37%	284.50	0.047"	0.1530"	59%	72.60	0.023"	0.1309"	72%	22.30
0.092"	0.1747"	43%	215.00	0.041"	0.1590"	63%	54.90	0.020"	0.1339"	76%	16.80
0.080"	0.1867"	49%	160.40	0.035"	0.1650"	68%	39.80	7 x 7 MESH			
0.072"	0.1947"	53%	128.90	0.032"	0.1680"	71%	33.20	0.080"	0.0629"	19%	312.20
0.063"	0.2037"	58%	97.90	0.028"	0.1720"	74%	25.30	0.072"	0.0709"	25%	247.20
0.054"	0.2127"	64%	71.40	0.025"	0.1750"	77%	20.20	0.063"	0.0799"	31%	184.70
0.047"	0.2197"	68%	53.80	0.023"	0.1770"	78%	17.00	0.054"	0.0889"	39%	139.70
0.041"	0.2257"	72%	40.80	5-1/2 x 5-1/2 MESH			0.047"	0.0959"	45%	104.20	
0.035"	0.2317"	76%	29.70	0.105"	0.0768"	18%	448.30	0.041"	0.1019"	51%	78.40
0.032"	0.2347"	78%	24.80	0.092"	0.0898"	24%	317.30	0.035"	0.1079"	57%	56.50
4 x 4 MESH											
0.148"	0.1020"	17%	619.10	0.072"	0.1098"	37%	196.30	0.028"	0.1149"	65%	35.80
0.135"	0.1150"	21%	503.80	0.063"	0.1188"	43%	147.90	0.025"	0.1179"	68%	28.40
0.120"	0.1300"	27%	388.60	0.054"	0.1278"	49%	107.10	0.023"	0.1199"	71%	24.00
0.105"	0.1450"	34%	306.20	0.047"	0.1348"	55%	80.30	0.020"	0.1229"	74%	18.10
0.092"	0.1580"	40%	231.00	0.041"	0.1408"	60%	60.70	0.018"	0.1249"	77%	14.60
0.080"	0.1700"	46%	172.10	0.035"	0.1468"	65%	43.90	7-1/2 x 7-1/2 MESH			
0.072"	0.1780"	51%	138.20	0.032"	0.1498"	68%	36.60	0.080"	0.0533"	16%	317.48
0.063"	0.1870"	56%	104.80	0.028"	0.1538"	72%	27.90	0.072"	0.0613"	21%	257.16
0.054"	0.1960"	62%	76.40	0.025"	0.1568"	74%	22.20	0.063"	0.0703"	28%	200.30
0.047"	0.2030"	66%	57.60	0.023"	0.1588"	76%	18.80	0.054"	0.0793"	35%	151.00
0.041"	0.2090"	70%	43.60	6 x 6 MESH			0.047"	0.0863"	42%	112.50	
0.035"	0.2150"	74%	31.70	0.092"	0.0747"	20%	352.80	0.041"	0.0923"	48%	84.40
0.032"	0.2180"	76%	26.40	0.080"	0.0867"	27%	259.10	0.035"	0.0983"	54%	60.80
0.028"	0.2220"	79%	20.20	0.072"	0.0947"	33%	216.90	0.032"	0.1013"	58%	50.60
0.025"	0.2250"	81%	16.10	0.063"	0.1037"	39%	163.00	0.028"	0.1053"	62%	38.40

WIRE DIAMETER	OPENING SIZE	OPEN AREA	LBS./100 SF	WIRE DIAMETER	OPENING SIZE	OPEN AREA	LBS./100 SF	WIRE DIAMETER	OPENING SIZE	OPEN AREA	LBS./100 SF
<b>7-1/2 x 7-1/2 MESH (CONTINUED)</b>											
0.025"	0.1083"	66%	30.50	0.063"	0.0423"	16%	267.30	0.028"	0.0553"	44%	63.50
0.023"	0.1103"	68%	25.80	0.054"	0.0513"	24%	189.30	0.025"	0.0583"	48%	50.10
0.020"	0.1133"	72%	19.40	0.047"	0.0583"	31%	147.10	0.023"	0.0603"	52%	42.20
0.018"	0.1153"	75%	15.70	0.041"	0.0643"	37%	109.70	0.020"	0.0633"	57%	31.60
<b>8 x 8 MESH</b>				0.035"	0.0703"	45%	78.50	0.018"	0.0653"	61%	25.50
0.072"	0.0530"	18%	291.10	0.032"	0.0733"	49%	65.10	0.017"	0.0663"	63%	22.70
0.063"	0.0620"	25%	216.30	0.028"	0.0773"	54%	49.30	0.016"	0.0673"	65%	20.00
0.054"	0.0710"	32%	162.70	0.025"	0.0803"	58%	39.10	0.015"	0.0683"	67%	17.60
0.047"	0.0780"	39%	120.90	0.023"	0.0823"	61%	32.90	0.014"	0.0693"	69%	15.30
0.041"	0.0840"	45%	90.60	0.020"	0.0853"	66%	24.80	<b>13 x 13 MESH</b>			
0.035"	0.0900"	52%	65.10	0.018"	0.0873"	69%	20.00	0.041"	0.0359"	22%	150.60
0.032"	0.0930"	55%	54.10	0.017"	0.0883"	70%	17.80	0.035"	0.0419"	30%	106.40
0.028"	0.0970"	60%	41.10	0.016"	0.0893"	72%	15.70	0.032"	0.0449"	34%	92.30
0.025"	0.1000"	64%	32.60	<b>10 x 10 MESH</b>				0.028"	0.0489"	40%	69.40
0.023"	0.1020"	67%	27.50	0.063"	0.0370"	14%	285.40	0.025"	0.0519"	46%	54.70
0.020"	0.1050"	71%	20.70	0.054"	0.0460"	21%	201.50	0.023"	0.0539"	49%	45.90
0.018"	0.1070"	73%	16.80	0.047"	0.0530"	28%	148.40	0.020"	0.0569"	55%	34.40
0.017"	0.1080"	75%	14.90	0.041"	0.0590"	35%	116.30	0.018"	0.0589"	59%	27.70
<b>8-1/2 x 8-1/2 MESH</b>				0.035"	0.0650"	42%	83.10	0.017"	0.0599"	61%	24.60
0.072"	0.0456"	15%	314.30	0.032"	0.0680"	46%	68.80	0.016"	0.0609"	63%	21.80
0.063"	0.0546"	22%	232.80	0.028"	0.0720"	52%	52.10	0.015"	0.0619"	65%	19.10
0.054"	0.0636"	29%	165.90	0.025"	0.0750"	56%	41.20	0.014"	0.0629"	67%	16.60
0.047"	0.0706"	36%	129.40	0.023"	0.0770"	59%	34.70	<b>14 x 14 MESH</b>			
0.041"	0.0766"	42%	96.80	0.020"	0.0800"	64%	26.10	0.041"	0.0304"	18%	165.00
0.035"	0.0826"	49%	69.50	0.018"	0.0820"	67%	21.10	0.035"	0.0364"	25%	116.10
0.032"	0.0856"	53%	57.70	0.017"	0.0830"	69%	18.80	0.032"	0.0394"	30%	100.50
0.028"	0.0896"	58%	43.80	0.016"	0.0840"	71%	16.60	0.028"	0.0434"	36%	75.50
0.025"	0.0926"	62%	34.80	0.015"	0.0850"	72%	14.60	0.025"	0.0464"	42%	59.30
0.023"	0.0946"	65%	29.30	<b>11 x 11 MESH</b>				0.023"	0.0484"	45%	49.80
0.020"	0.0976"	69%	22.10	0.054"	0.0369"	17%	226.90	0.020"	0.0514"	51%	37.20
0.018"	0.0996"	72%	17.80	0.047"	0.0439"	23%	166.30	0.018"	0.0534"	55%	29.90
0.017"	0.1006"	73%	15.90	0.041"	0.0499"	30%	123.30	0.017"	0.0544"	57%	26.60
<b>9 x 9 MESH</b>				0.035"	0.0559"	38%	92.40	0.016"	0.0554"	59%	23.50
0.072"	0.0391"	12%	338.20	0.032"	0.0589"	42%	76.40	0.015"	0.0564"	62%	20.60
0.063"	0.0481"	19%	249.80	0.028"	0.0629"	48%	57.80	0.014"	0.0574"	64%	17.90
0.054"	0.0571"	26%	177.40	0.025"	0.0659"	53%	45.60	0.0135"	0.0575"	65%	16.60
0.047"	0.0641"	33%	138.20	0.023"	0.0679"	56%	38.40	0.013"	0.0584"	66%	15.40
0.041"	0.0701"	40%	103.20	0.020"	0.0709"	61%	28.80	0.012"	0.0594"	68%	13.10
0.035"	0.0761"	47%	74.00	0.018"	0.0729"	64%	23.30	0.011"	0.0604"	71%	11.00
0.032"	0.0791"	51%	61.40	0.017"	0.0739"	66%	20.70	0.010"	0.0614"	73%	9.00
0.028"	0.0831"	56%	46.60	0.016"	0.0749"	68%	18.30	<b>15 x 15 MESH</b>			
0.025"	0.0861"	60%	36.90	0.015"	0.0759"	70%	16.10	0.041"	0.0257"	15%	180.00
0.023"	0.0881"	63%	31.10	<b>12 x 12 MESH</b>				0.035"	0.0317"	23%	126.20
0.020"	0.0911"	67%	23.40	0.047"	0.0363"	19%	185.10	0.032"	0.0347"	27%	103.60
0.018"	0.0931"	70%	18.90	0.041"	0.0423"	25%	136.70	0.028"	0.0387"	34%	77.60
0.017"	0.0941"	72%	16.80	0.035"	0.0483"	33%	102.10	0.025"	0.0417"	39%	64.10
0.016"	0.0951"	73%	14.90	0.032"	0.0513"	38%	84.30	0.023"	0.0437"	43%	53.70

WIRE DIAMETER	OPENING SIZE	OPEN AREA	LBS./100 SF	WIRE DIAMETER	OPENING SIZE	OPEN AREA	LBS./100 SF	WIRE DIAMETER	OPENING SIZE	OPEN AREA	LBS./100 SF
15 x 15 MESH (CONTINUED)				20 x 20 MESH				24 x 24 MESH (CONTINUED)			
0.020"	0.0467"	49%	40.10	0.032"	0.0180"	13%	147.90	0.0095"	0.0322"	60%	14.20
0.018"	0.0487"	53%	32.20	0.028"	0.0220"	19%	109.30	0.009"	0.0327"	62%	12.70
0.017"	0.0497"	56%	28.60	0.025"	0.0250"	25%	85.00	0.0085"	0.0332"	64%	11.30
0.016"	0.0507"	58%	25.30	0.023"	0.0270"	29%	70.80	0.008"	0.0337"	65%	10.00
0.015"	0.0517"	60%	22.10	0.020"	0.0300"	36%	55.20	0.0075"	0.0342"	67%	8.80
0.014"	0.0527"	63%	19.20	0.018"	0.0320"	41%	44.10	26 x 26 MESH			
0.0135"	0.0532"	64%	17.90	0.017"	0.0330"	44%	39.10	0.020"	0.0185"	23%	71.30
0.013"	0.0537"	65%	16.50	0.016"	0.0340"	46%	34.40	0.018"	0.0205"	28%	56.60
0.012"	0.0547"	67%	14.10	0.015"	0.0350"	49%	30.10	0.017"	0.0215"	31%	52.60
0.011"	0.0557"	70%	11.80	0.014"	0.0360"	52%	26.10	0.016"	0.0225"	34%	46.10
0.010"	0.0567"	72%	9.70	0.0135"	0.0370"	53%	24.20	0.015"	0.0235"	37%	40.20
16 x 16 MESH				0.013"	0.0370"	55%	22.40	0.014"	0.0245"	41%	34.70
0.035"	0.0275"	19%	136.60	0.012"	0.0380"	58%	19.00	0.0135"	0.0250"	42%	32.10
0.032"	0.0305"	24%	111.90	0.011"	0.0390"	61%	15.90	0.013"	0.0255"	44%	29.70
0.028"	0.0345"	31%	83.60	0.010"	0.0400"	64%	13.10	0.012"	0.0265"	48%	25.10
0.025"	0.0375"	36%	68.90	0.0095"	0.0405"	66%	11.80	0.011"	0.0275"	51%	20.90
0.023"	0.0395"	40%	57.70	0.009"	0.0410"	67%	10.50	0.010"	0.0285"	55%	17.20
0.020"	0.0425"	46%	43.00	22 x 22 MESH				0.0095"	0.0290"	57%	15.50
0.018"	0.0445"	51%	34.50	0.028"	0.0175"	15%	123.20	0.009"	0.0295"	59%	13.80
0.017"	0.0455"	53%	30.70	0.025"	0.0205"	20%	95.40	0.0085"	0.0300"	61%	12.30
0.016"	0.0465"	55%	27.10	0.023"	0.0225"	25%	79.30	0.008"	0.0305"	63%	10.90
0.015"	0.0475"	58%	23.70	0.020"	0.0255"	32%	58.50	0.0075"	0.0310"	65%	9.50
0.014"	0.0485"	60%	20.60	0.018"	0.0275"	37%	49.10	28 x 28 MESH			
0.0135"	0.0490"	62%	19.10	0.017"	0.0285"	39%	43.50	0.018"	0.0177"	25%	61.80
0.013"	0.0495"	63%	17.70	0.016"	0.0295"	42%	38.20	0.017"	0.0187"	27%	54.50
0.012"	0.0505"	65%	15.00	0.015"	0.0305"	45%	33.40	0.016"	0.0197"	30%	50.30
0.011"	0.0515"	68%	12.60	0.014"	0.0315"	48%	28.90	0.015"	0.0207"	34%	43.70
0.010"	0.0525"	71%	10.40	0.0135"	0.0320"	50%	26.80	0.014"	0.0217"	37%	37.70
0.0095"	0.0530"	72%	9.40	0.013"	0.0325"	51%	24.80	0.0135"	0.0222"	39%	34.90
18 x 18 MESH				0.012"	0.0335"	54%	21.00	0.013"	0.0227"	40%	32.20
0.035"	0.0206"	14%	158.40	0.011"	0.0345"	58%	17.50	0.012"	0.0237"	44%	27.20
0.032"	0.0236"	18%	129.40	0.010"	0.0355"	61%	14.40	0.011"	0.0247"	48%	22.70
0.028"	0.0276"	25%	96.10	0.0095"	0.0360"	63%	13.00	0.010"	0.0257"	52%	18.60
0.025"	0.0306"	30%	75.00	0.009"	0.0365"	65%	11.60	0.0095"	0.0262"	54%	16.70
0.023"	0.0326"	34%	66.00	24 x 24 MESH				0.009"	0.0267"	56%	15.00
0.020"	0.0356"	41%	49.00	0.025"	0.0167"	16%	106.40	0.0085"	0.0272"	58%	13.30
0.018"	0.0376"	46%	39.20	0.023"	0.0187"	20%	88.20	0.008"	0.0277"	60%	11.80
0.017"	0.0386"	48%	34.80	0.020"	0.0217"	27%	64.80	0.0075"	0.0282"	62%	10.30
0.016"	0.0396"	51%	30.70	0.018"	0.0237"	32%	51.50	30 x 30 MESH			
0.015"	0.0406"	53%	26.80	0.017"	0.0247"	35%	48.00	0.017"	0.0163"	24%	59.20
0.014"	0.0416"	56%	23.30	0.016"	0.0257"	38%	42.10	0.016"	0.0173"	27%	61.80
0.0135"	0.0421"	57%	21.60	0.015"	0.0267"	41%	36.70	0.015"	0.0183"	30%	47.40
0.013"	0.0426"	59%	20.00	0.014"	0.0277"	44%	31.80	0.014"	0.0193"	34%	40.80
0.012"	0.0436"	62%	17.00	0.0135"	0.0282"	46%	29.40	0.0135"	0.0198"	35%	37.80
0.011"	0.0446"	64%	14.20	0.013"	0.0287"	47%	27.20	0.013"	0.0203"	37%	34.80
0.010"	0.0456"	67%	11.70	0.012"	0.0297"	51%	23.00	0.012"	0.0213"	41%	29.40
0.0095"	0.0460"	69%	10.50	0.011"	0.0307"	54%	19.20	0.011"	0.0223"	45%	24.50
0.009"	0.0466"	70%	9.50	0.010"	0.0317"	58%	15.80	0.010"	0.0233"	49%	20.00

WIRE DIAMETER	OPENING SIZE	OPEN AREA	LBS./100 SF	WIRE DIAMETER	OPENING SIZE	OPEN AREA	LBS./100 SF	WIRE DIAMETER	OPENING SIZE	OPEN AREA	LBS./100 SF
30 x 30 MESH (CONTINUED)				38 x 38 MESH (CONTINUED)				55 x 55 MESH (CONTINUED)			
0.0095"	0.0238"	51%	18.00	0.007"	0.0193"	54%	12.30	0.008"	0.0102"	32%	24.60
0.009"	0.0243"	53%	16.10	40 x 40 MESH				0.0075"	0.0107"	35%	21.40
0.0085"	0.0248"	55%	14.30	0.0135"	0.0115"	21%	53.00	0.007"	0.0112"	38%	18.50
0.008"	0.0253"	58%	12.60	0.013"	0.0120"	23%	48.80	60 x 60 MESH			
0.0075"	0.0258"	60%	11.10	0.012"	0.0130"	27%	40.90	0.011"	0.0057"	12%	52.90
0.0065"	0.0266"	65%	8.40	0.011"	0.0140"	31%	33.80	0.010"	0.0067"	16%	42.60
32 x 32 MESH				0.010"	0.0150"	36%	27.60	0.0095"	0.0072"	19%	37.90
0.016"	0.0153"	24%	56.00	0.0095"	0.0155"	38%	24.70	0.009"	0.0077"	21%	33.50
0.015"	0.0163"	27%	48.60	0.009"	0.0160"	41%	22.00	0.0085"	0.0082"	24%	29.60
0.014"	0.0173"	31%	44.00	0.0085"	0.0165"	44%	19.50	0.008"	0.0087"	27%	27.30
0.0135"	0.0178"	32%	40.70	0.008"	0.0170"	46%	17.20	0.0075"	0.0092"	31%	23.70
0.013"	0.0183"	34%	37.50	0.0075"	0.0175"	49%	15.00	0.007"	0.0097"	34%	20.40
0.012"	0.0193"	38%	31.60	0.007"	0.0180"	52%	13.00	0.0065"	0.0102"	38%	17.40
0.011"	0.0203"	42%	26.30	0.0065"	0.0185"	55%	11.30	0.006"	0.0107"	41%	14.70
0.010"	0.0213"	47%	21.50	42 x 42 MESH				65 x 65 MESH			
0.0095"	0.0218"	49%	19.30	0.0135"	0.0103"	19%	53.50	0.0075"	0.0079"	26%	26.00
0.009"	0.0223"	51%	17.30	0.013"	0.0108"	21%	51.80	0.007"	0.0084"	30%	22.40
0.0085"	0.0228"	53%	15.30	0.012"	0.0118"	25%	43.40	0.0065"	0.0089"	34%	19.10
0.008"	0.0233"	56%	13.50	0.011"	0.0128"	29%	35.80	70 x 70 MESH			
0.0075"	0.0238"	58%	11.80	0.010"	0.0138"	34%	29.20	0.009"	0.0053"	14%	40.70
0.007"	0.0243"	61%	10.30	0.0095"	0.0143"	36%	26.10	0.0085"	0.0058"	17%	35.80
35 x 35 MESH				0.009"	0.0148"	39%	23.30	0.008"	0.0063"	19%	31.30
0.016"	0.0126"	19%	62.40	45 x 45 MESH				0.0075"	0.0068"	23%	27.10
0.015"	0.0136"	23%	54.10	0.013"	0.0092"	17%	53.60	0.007"	0.0073"	26%	23.30
0.014"	0.0146"	26%	46.50	0.012"	0.0102"	21%	44.80	0.0065"	0.0078"	30%	20.80
0.0135"	0.0151"	28%	45.20	0.011"	0.0112"	25%	36.90	0.006"	0.0083"	34%	17.50
0.013"	0.0156"	30%	41.60	0.010"	0.0122"	30%	31.60	75 x 75 MESH			
0.012"	0.0166"	34%	35.00	0.0095"	0.0127"	33%	28.30	0.007"	0.0063"	22%	25.30
0.011"	0.0176"	38%	29.00	0.009"	0.0132"	35%	25.20	0.0065"	0.0068"	26%	22.60
0.010"	0.0186"	42%	23.70	0.0085"	0.0137"	38%	22.30	0.006"	0.0073"	30%	19.00
0.0095"	0.0191"	45%	21.30	0.008"	0.0142"	41%	19.60	80 x 80 MESH			
0.009"	0.0196"	47%	19.00	0.0075"	0.0147"	44%	17.10	0.0075"	0.0050"	16%	31.90
0.0085"	0.0201"	50%	16.90	50 x 50 MESH				0.007"	0.0055"	19%	27.40
0.008"	0.0206"	52%	14.90	0.012"	0.0080"	16%	51.10	0.0065"	0.0060"	23%	23.20
0.0075"	0.0211"	55%	13.00	0.011"	0.0090"	20%	42.00	0.006"	0.0065"	27%	20.40
0.007"	0.0216"	57%	11.30	0.010"	0.0100"	25%	34.00	0.0055"	0.0070"	31%	16.90
38 x 38 MESH				0.0095"	0.0105"	28%	32.00	0.005"	0.0075"	36%	13.80
0.014"	0.0123"	22%	51.30	0.009"	0.0110"	30%	28.40	90 x 90 MESH			
0.0135"	0.0128"	25%	47.30	0.0085"	0.0115"	33%	25.10	0.006"	0.0051"	21%	22.40
0.013"	0.0133"	26%	43.60	0.008"	0.0120"	36%	22.10	0.0055"	0.0056"	25%	18.40
0.012"	0.0143"	30%	38.50	0.0075"	0.0125"	39%	19.20	0.005"	0.0061"	30%	15.80
0.011"	0.0153"	34%	31.90	0.0065"	0.0135"	44%	14.40	Openings per linear inch are measured center to center of wires. Technical information provided is for evaluation by technically skilled persons, with any use thereof to be at their independent discretion and risk.			
0.010"	0.0163"	38%	26.00	55 x 55 MESH				McNICHOLS shall have no responsibility or liability for results obtained or damages resulting from improper evaluation or use of Wire Mesh.			
0.0095"	0.0168"	41%	23.30	0.011"	0.0072"	16%	47.30				
0.009"	0.0173"	43%	20.80	0.010"	0.0082"	20%	38.20				
0.0085"	0.0178"	46%	18.50	0.0095"	0.0087"	23%	34.00				
0.008"	0.0183"	48%	16.30	0.009"	0.0092"	26%	30.20				
0.0075"	0.0188"	51%	14.20	0.0085"	0.0097"	29%	28.10				