

NO. OF BEARING BARS	MAXIMUM PANEL WIDTHS		
	GHB (19-W-4), GHB-2 (19-W-2), 1-3/16" BEARING BAR SPACING		
	1/4" BB	5/16" BB	3/8" BB
2	1-7/16"	1-1/2"	1-9/16"
3	2-5/8"	2-11/16"	2-3/4"
4	3-13/16"	3-7/8"	3-15/16"
5	5"	5-1/16"	5-1/8"
6	6-3/16"	6-1/4"	6-5/16"
7	7-3/8"	7-7/16"	7-1/2"
8	8-9/16"	8-5/8"	8-11/16"
9	9-3/4"	9-13/16"	9-7/8"
10	10-15/16"	11"	11-1/16"
11	12-1/8"	12-3/16"	12-1/4"
12	13-5/16"	13-3/8"	13-7/16"
13	14-1/2"	14-9/16"	14-5/8"
14	15-11/16"	15-3/4"	15-13/16"
15	16-7/8"	16-15/16"	17"
16	18-1/16"	18-1/8"	18-3/16"
17	19-1/4"	19-5/16"	19-3/8"
18	20-7/16"	20-1/2"	20-9/16"
19	21-5/8"	21-11/16"	21-3/4"
20	22-13/16"	22-7/8"	22-15/16"
21	24"	24-1/16"	24-1/8"
22	25-3/16"	25-1/4"	25-5/16"
23	26-3/8"	26-7/16"	26-1/2"
24	27-9/16"	27-5/8"	27-11/16"
25	28-3/4"	28-13/16"	28-7/8"
26	29-15/16"	30"	30-1/16"
27	31-1/8"	31-3/16"	31-1/4"
28	32-5/16"	32-3/8"	32-7/16"
29	33-1/2"	33-9/16"	33-5/8"
30	34-11/16"	34-3/4"	34-13/16"
31	35-7/8"	35-15/16"	36"

- Maximum panel width dimensions are measured from outside to outside of bearing bars.
- Wider areas than indicated by maximum panel widths in chart can be covered by two or more pieces with proper structural support.
- Technical information provided is for evaluation by technically skilled persons, with any use thereof to be at their independent discretion and risk. **McNICHOLS** shall have no responsibility or liability for results obtained or damages resulting from improper evaluation or use of Bar Grating.

