



GRIP STRUT® | 5-DIAMOND (24" WIDTH) | 6-DIAMOND (30" WIDTH) | 8-DIAMOND (36" WIDTH)

GALVANIZED STEEL LOAD TABLE

PROFILE (width)	GAUGE	HEIGHT (mm)	LBS./LF. (kg/m)	LOAD/ DEFL	CLEAR SPAN																	
					48"	60"	72"	84"	96"	108"	120"	132"	144"	156"	168"	180"	192"	216"	240"	264"	288"	
5-DIA (24")	11	5" (127.0)	15.4 (22.9)	U	750	480	334	245	187	148	120	99	83	71	62	54	47	37	30	25	21	
				D	0.34	0.35	0.38	0.34	0.34	0.34	0.35	0.42	0.50	0.59	0.69	0.79	0.91	1.13	1.43	1.70	2.03	
				C	3000	2400	2000	1714	1500	1334	1200	1091	1000	922	857	800	750	666	600	546	500	
				D	0.27	0.28	0.31	0.28	0.28	0.27	0.28	0.34	0.41	0.48	0.56	0.63	0.72	0.91	1.13	1.36	1.62	
	10	5" (127.0)	17.5 (22.6)	U	937	600	417	306	234	185	150	124	104	89	77	67	59	46	38	31	26	
				D	0.38	0.39	0.42	0.38	0.38	0.38	0.39	0.47	0.56	0.66	0.77	0.88	1.01	1.26	1.59	1.89	2.25	
				C	3750	3000	2500	2143	1875	1667	1500	1364	1250	1153	1071	1000	938	833	750	682	625	
				D	0.30	0.31	0.34	0.31	0.30	0.30	0.31	0.36	0.45	0.53	0.61	0.70	0.80	1.01	1.25	1.51	1.80	
	9	5" (127.0)	19.6 (29.1)	U	1031	660	459	337	257	204	165	136	114	98	85	74	65	51	42	34	29	
				D	0.38	0.39	0.42	0.38	0.38	0.38	0.39	0.47	0.56	0.66	0.77	0.88	1.01	1.26	1.59	1.89	2.25	
				C	4125	3300	2750	2357	2063	1834	1650	1500	1375	1268	1178	1100	1032	916	825	750	688	
				D	0.30	0.31	0.34	0.31	0.30	0.30	0.31	0.36	0.45	0.53	0.61	0.70	0.80	1.01	1.25	1.51	1.80	
6-DIA (30")	11	5" (127.0)	17.7 (26.3)	U	732	468	325	239	183	145	116	96	81	69	60	52	45	36	28	24	20	
				D	0.33	0.39	0.36	0.36	0.41	0.38	0.37	0.37	0.44	0.51	0.59	0.68	0.77	0.98	1.20	1.46	1.73	
				C	3667	2932	2444	2095	1832	1629	1467	1333	1222	1128	1047	977	916	815	732	667	610	
				D	0.27	0.31	0.29	0.29	0.33	0.31	0.30	0.30	0.35	0.41	0.48	0.55	0.62	0.78	0.97	1.17	1.40	
	10	5" (127.0)	19.9 (29.6)	U	916	586	407	299	229	182	146	121	102	87	75	65	57	45	36	30	25	
				D	0.37	0.43	0.40	0.40	0.46	0.42	0.41	0.41	0.49	0.57	0.66	0.75	0.86	1.09	1.33	1.62	1.92	
				C	4584	3666	3056	2619	2291	2037	1834	1667	1528	1410	1309	1222	1146	1019	916	834	763	
				D	0.30	0.34	0.32	0.32	0.37	0.34	0.33	0.33	0.39	0.45	0.53	0.61	0.69	0.87	1.08	1.30	1.55	
	9	5" (127.0)	22.1 (32.9)	U	1007	644	447	328	251	200	160	133	112	95	82	71	62	49	39	33	27	
				D	0.37	0.43	0.40	0.40	0.46	0.42	0.41	0.41	0.49	0.57	0.66	0.75	0.86	1.09	1.33	1.62	1.92	
				C	5042	4032	3361	2880	2530	2240	2017	1833	1680	1551	1439	1344	1260	1120	1007	917	839	
				D	0.30	0.34	0.32	0.32	0.37	0.34	0.33	0.33	0.39	0.45	0.53	0.61	0.69	0.87	1.08	1.30	1.55	
8-DIA (36")	11	5" (127.0)	20.2 (30.0)	U	444	284	197	144	111	88	71	58	49	42	36	31	28	21	17	14	12	
				D	0.35	0.35	0.30	0.29	0.30	0.32	0.35	0.38	0.46	0.54	0.62	0.71	0.82	1.04	1.26	1.50	1.78	
				C	2664	2133	1777	1524	1333	1184	1066	969	888	820	761	711	666	592	533	484	444	
				D	0.28	0.28	0.23	0.23	0.23	0.26	0.28	0.31	0.37	0.43	0.50	0.58	0.65	0.83	1.02	1.23	1.47	
	10	5" (127.0)	22.7 (33.8)	U	556	356	247	181	139	110	89	73	62	53	45	39	35	27	22	18	15	
				D	0.39	0.39	0.33	0.32	0.33	0.36	0.39	0.42	0.51	0.60	0.69	0.79	0.91	1.15	1.40	1.67	1.98	
				C	3330	2667	2222	1905	1667	1481	1333	1212	1111	1026	952	889	833	741	667	606	556	
				D	0.31	0.31	0.26	0.26	0.26	0.29	0.31	0.34	0.41	0.46	0.55	0.64	0.72	0.92	1.13	1.37	1.63	
	9	5" (127.0)	25.3 (37.6)	U	611	391	271	199	152	121	97	80	68	58	49	42	38	29	24	19	16	
				D	0.39	0.39	0.33	0.32	0.33	0.36	0.39	0.42	0.51	0.60	0.69	0.79	0.91	1.15	1.40	1.67	1.98	
				C	3663	2933	2444	2095	1833	1629	1466	1333	1222	1128	1047	977	916	815	733	666	611	
				D	0.31	0.31	0.26	0.26	0.26	0.29	0.31	0.34	0.41	0.46	0.55	0.64	0.72	0.92	1.13	1.37	1.63	

U - Uniform Load - Lbs./Sf. **D** - Deflection in Inches **C** - Concentrated Load - Lbs./Ft. of Width at Mid Span | Span and loading values to the left of the bolded black line produce a deflection of 1/4" or less under a uniform load of 100 Lbs./Sf., allowing for safe pedestrian comfort. Span and loading values to the right of the bolded black line are applicable to other types of loads at the discretion of a licensed engineer. Technical information provided is theoretical and for evaluation by technically skilled persons, with any use thereof to be at their independent discretion and risk. **McNICHOLS** shall have no responsibility or liability for results obtained or damages resulting from improper evaluation or use of Plank Grating.