

NO. OF BEARING BARS	MAXIMUM PANEL WIDTHS													
	GAL (19-S-4), GAL-2 (19-S-2) 1-3/16" BEAR BAR SPACING		GSL (19-S-4), GSL-2 (19-S-2) 1-3/16" BEAR BAR SPACING		SFT (19-SF-4), SFT-2 (19-SF-2) 1-3/16" BEAR BAR SPACING		SGAL (15-S-4), SGAL-2 (15-S-2) 15/16" BEAR BAR SPACING		GIA (19-SI-4), GIA-2 (19-SI-2) 1-3/16" BEAR BAR SPACING		SGIA (15-SI-4), SGIA-2 (15-SI-2) 15/16" BEAR BAR SPACING		TB-626 (19-S-4)	TB-940 (19-S-4)
	1/8" BB	3/16" BB	1/8" BB	3/16" BB	1/8" BB	3/16" BB	1/8" BB	3/16" BB	1/4" BB	1/4" BB	0.626" TOP FLNG	0.940" TOP FLNG		
2	1-5/16"	1-3/8"	1-5/16"	1-3/8"	1-5/16"	1-3/8"	1-1/16"	1-1/8"	1-7/16"	1-3/16"	1.814"	2.128"		
3	2-1/2"	2-9/16"	2-1/2"	2-9/16"	2-1/2"	2-9/16"	2"	2-1/16"	2-5/8"	2-1/8"	3.001"	3.315"		
4	3-11/16"	3-3/4"	3-11/16"	3-3/4"	3-11/16"	3-3/4"	2-15/16"	3"	3-13/16"	3-1/16"	4.189"	4.503"		
5	4-7/8"	4-15/16"	4-7/8"	4-15/16"	4-7/8"	4-15/16"	3-7/8"	3-15/16"	5"	4"	5.376"	5.690"		
6	6-1/16"	6-1/8"	6-1/16"	6-1/8"	6-1/16"	6-1/8"	4-13/16"	4-7/8"	6-3/16"	4-15/16"	6.564"	6.878"		
7	7-1/4"	7-5/16"	7-1/4"	7-5/16"	7-1/4"	7-5/16"	5-3/4"	5-13/16"	7-3/8"	5-7/8"	7.751"	8.065"		
8	8-7/16"	8-1/2"	8-7/16"	8-1/2"	8-7/16"	8-1/2"	6-11/16"	6-3/4"	8-9/16"	6-13/16"	8.939"	9.253"		
9	9-5/8"	9-11/16"	9-5/8"	9-11/16"	9-5/8"	9-11/16"	7-5/8"	7-11/16"	9-3/4"	7-3/4"	10.126"	10.440"		
10	10-13/16"	10-7/8"	10-13/16"	10-7/8"	10-13/16"	10-7/8"	8-9/16"	8-5/8"	10-15/16"	8-11/16"	11.314"	11.628"		
11	12"	12-1/16"	12"	12-1/16"	12"	12-1/16"	9-1/2"	9-9/16"	12-1/8"	9-5/8"	12.501"	12.815"		
12	13-3/16"	13-1/4"	13-3/16"	13-1/4"	13-3/16"	13-1/4"	10-7/16"	10-1/2"	13-5/16"	10-9/16"	13.689"	14.003"		
13	14-3/8"	14-7/16"	14-3/8"	14-7/16"	14-3/8"	14-7/16"	11-3/8"	11-7/16"	14-1/2"	11-1/2"	14.876"	15.190"		
14	15-9/16"	15-5/8"	15-9/16"	15-5/8"	15-9/16"	15-5/8"	12-5/16"	12-3/8"	15-11/16"	12-7/16"	16.064"	16.378"		
15	16-3/4"	16-13/16"	16-3/4"	16-13/16"	16-3/4"	16-13/16"	13-1/4"	13-5/16"	16-7/8"	13-3/8"	17.251"	17.565"		
16	17-15/16"	18"	17-15/16"	18"	17-15/16"	18"	14-3/16"	14-1/4"	18-1/16"	14-5/16"	18.439"	18.753"		
17	19-1/8"	19-3/16"	19-1/8"	19-3/16"	19-1/8"	19-3/16"	15-1/8"	15-3/16"	19-1/4"	15-1/4"	19.626"	19.940"		
18	20-5/16"	20-3/8"	20-5/16"	20-3/8"	20-5/16"	20-3/8"	16-1/16"	16-1/8"	20-7/16"	16-3/16"	20.814"	21.128"		
19	21-1/2"	21-9/16"	21-1/2"	21-9/16"	21-1/2"	21-9/16"	17"	17-1/16"	21-5/8"	17-1/8"	22.001"	22.315"		
20	22-11/16"	22-3/4"	22-11/16"	22-3/4"	22-11/16"	22-3/4"	17-15/16"	18"	22-13/16"	18-1/16"	23.189"	23.503"		
21	23-7/8"	23-15/16"	23-7/8"	23-15/16"	23-7/8"	23-15/16"	18-7/8"	18-15/16"	24"	19"	24.376"	24.690"		
22	25-1/6"	25-1/8"	25-1/6"	25-1/8"	25-1/6"	25-1/8"	19-13/16"	19-7/8"	25-3/16"	19-15/16"	25.564"	25.878"		
23	26-1/4"	26-5/16"	26-1/4"	26-5/16"	26-1/4"	26-5/16"	20-3/4"	20-13/16"	26-3/8"	20-7/8"	26.751"	27.065"		
24	27-7/16"	27-1/2"	27-7/16"	27-1/2"	27-7/16"	27-1/2"	21-11/16"	21-3/4"	27-9/16"	21-13/16"	27.939"	28.253"		
25	28-5/8"	28-11/16"	28-5/8"	28-11/16"	28-5/8"	28-11/16"	22-5/8"	22-11/16"	28-3/4"	22-3/4"	29.126"	29.440"		
26	29-13/16"	29-7/8"	29-13/16"	29-7/8"	29-13/16"	29-7/8"	23-9/16"	23-5/8"	29-15/16"	23-11/16"	30.314"	30.628"		
27	31"	31-1/16"	31"	31-1/16"	31"	31-1/16"	24-1/2"	24-9/16"	31-1/8"	24-5/8"	31.501"	31.815"		
28	32-3/16"	32-1/4"	32-3/16"	32-1/4"	32-3/16"	32-1/4"	25-7/16"	25-1/2"	32-5/16"	25-9/16"	32.689"	33.003"		
29	33-3/8"	33-7/16"	33-3/8"	33-7/16"	33-3/8"	33-7/16"	26-3/8"	26-7/16"	33-1/2"	26-1/2"	33.876"	34.190"		
30	34-9/16"	34-5/8"	34-9/16"	34-5/8"	34-9/16"	34-5/8"	27-5/16"	27-3/8"	34-11/16"	27-7/16"	35.064"	35.378"		
31	35-3/4"	35-13/16"	35-3/4"	35-13/16"	35-3/4"	35-13/16"	28-1/4"	28-5/16"	35-7/8"	28-3/8"	36.250"	36.565"		
32	--	--	--	--	--	--	29-3/16"	29-1/4"	--	29-5/16"	--	--		
33	--	--	--	--	--	--	30-1/8"	30-3/16"	--	30-1/4"	--	--		
34	--	--	--	--	--	--	31-1/16"	31-1/8"	--	31-3/16"	--	--		
35	--	--	--	--	--	--	32"	32-1/16"	--	32-1/8"	--	--		
36	--	--	--	--	--	--	32-15/16"	33"	--	33-1/16"	--	--		
37	--	--	--	--	--	--	33-7/8"	33-15/16"	--	34"	--	--		
38	--	--	--	--	--	--	34-13/16"	34-7/8"	--	34-15/16"	--	--		
39	--	--	--	--	--	--	35-3/4"	35-13/16"	--	35-7/8"	--	--		

- Maximum panel width dimensions are measured from outside to outside of bearing bars.
- Wider areas than indicated by maximum panel widths in chart can be covered by two or more pieces with proper structural support.
- All Grating types are Aluminum except GSL and GSL-2 which is Stainless Steel.
- Technical information provided is for evaluation by technically skilled persons, with any use thereof to be at their independent discretion and risk. **McNICHOLS** shall have no responsibility or liability for results obtained or damages resulting from improper evaluation or use of Bar Grating.

Superior Service, Quality and Performance ... That's The Hole Story®!

