

| BUTTON-TOP METAL FLOORING SPECIFICATIONS | | | | | | BUTTON-TOP METAL FLOORING SIDE PROFILE VIEW |
|--|--------------|-------|------------------|------------------|------------------|---|
| PRIMARY MATERIAL | GAUGE/ THICK | #/ SF | Ⓐ (mm) | Ⓑ (mm) | Ⓒ (mm) | |
| ALUMINUM | 0.1250" | 1.71 | 0.219" (5.56) | 0.375" (9.53) | 0.156" (3.96) | |
| CARBON STEEL | 16 | 2.40 | 0.154" (3.91) | 0.375" (9.53) | 0.156" (3.96) | |
| | 13 | 3.74 | 0.176" (4.47) | 0.375" (9.53) | 0.156" (3.96) | |
| | 11 | 4.80 | 0.213" (5.41) | 0.375" (9.53) | 0.156" (3.96) | |

- Dimensional sizes may vary slightly and are subject to mill tolerances. Minimum dimensions shown.
- Technical information provided is for evaluation by technically skilled persons only, with any use thereof to be at their independent discretion and risk. **McNICHOLS** shall have no responsibility or liability for results obtained or damages resulting from improper evaluation or use of Metal Flooring.

ADA compliant product.

- Ⓐ Measurement From Bottom of Metal Flooring to Top of Raised Button
- Ⓑ Measurement From Outside Edge to Outside Edge of Raised Button on Metal Flooring Surface
- Ⓒ Diameter of Hole at Base of Button-Top Opening

