

BUTTON-TOP METAL FLOORING SPECIFICATIONS						BUTTON-TOP METAL FLOORING SIDE PROFILE VIEW
PRIMARY MATERIAL	GAUGE/ THICK	LBS./ SF	Ⓐ (mm)	Ⓑ (mm)	Ⓒ (mm)	
ALUMINUM	.1250"	1.71	3/32" (2.38)	3/8" (9.53)	5/32" (3.96)	
CARBON STEEL	16	2.40	3/32" (2.38)	3/8" (9.53)	5/32" (3.96)	
	14	3.01	3/32" (2.38)	3/8" (9.53)	5/32" (3.96)	
	13	3.74	3/32" (2.38)	3/8" (9.53)	5/32" (3.96)	
	11	4.80	3/32" (2.38)	3/8" (9.53)	5/32" (3.96)	
STAINLESS STEEL	16	2.33	3/32" (2.38)	3/8" (9.53)	5/32" (3.96)	

- Dimensional sizes may vary slightly and are subject to mill tolerances. Minimum dimensions shown.
- Technical information provided is for evaluation by technically skilled persons only, with any use thereof to be at their independent discretion and risk. **McNICHOLS** shall have no responsibility or liability for results obtained or damages resulting from improper evaluation or use of Metal Flooring.

ADA compliant product.

- Ⓐ Measurement From Bottom of Metal Flooring to Top of Raised Button
- Ⓑ Measurement From Outside Edge to Outside Edge of Raised Button on Metal Flooring Surface
- Ⓒ Diameter of Hole at Base of Button-Top Opening

